

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 5 | ((("6219547") or ("6061563") or ("6487406") or ("6230005") or ("20020055364")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/02/04 09:48 |
| S1 | 6 | (mobility adj manag\$6 or hand-off or handoff or dormant or latent or inactive handoff or handover) near3 (packet adj data or packet) near3 (query or consult or acquire with session adj information or data) near3 stor\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/04 06:53 |
| S2 | 55 | (session adj controller) with (memory or stor\$6) same (information or data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/09 20:27 |
| S3 | 1885 | 455/432 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 13:13 |
| S4 | 3360 | 455/436 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 13:14 |
| S5 | 535 | (455/436) and mobility | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/09 20:30 |
| S6 | 535 | 455/436 and ((455/436) and mobility) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/04 06:55 |
| S7 | 27 | dormant adj handoff | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/04 06:54 |
| S8 | 3 | (dormant adj handoff) and (session adj contro\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/04 06:54 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S9 | 2337 | (session adj contro\$6) or (data adj location adj registre\$3 or DLR) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:03 |
| S10 | 3 | ((dormant adj handoff) and (session adj contro\$6)) and ((session adj contro\$6) or (data adj location adj registre\$3 or DLR)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:06 |
| S11 | 3360 | 455/436 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:07 |
| S12 | 520 | 455/228 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:07 |
| S13 | 2 | 455/436 and 455/228 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:07 |
| S14 | 62 | data adj location adj regist\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:43 |
| S15 | 2 | ((455/436 and 455/228) or (data adj location adj regist\$6)) and (dormant adj haddoff or hand-off or handover or hand-over) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:31 |
| S16 | 2 | ((455/436 and 455/228) or (data adj location adj regist\$6)) and (dormant adj handoff or hand-off or handover or hand-over) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/25 15:31 |
| S17 | 50 | (455/436 and 455/228) or (data adj location adj regist\$6) and (session contro\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:42 |
| S18 | 37 | (455/436 and 455/228) or (data adj location adj regist\$6) and (session adj contro\$3 or (data adj location adj register) or (mobility adj manager)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/26 14:57 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S19 | 7708 | (data adj network adj controller or base adj station adj controller) with (session adj controller or base adj station adj controller) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 10:53 |
| S20 | 3 | ((data adj network adj controller or base adj station adj controller) with (session adj controller or base adj station adj controller)) near3 (dormant adj handoff) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:46 |
| S21 | 270 | session adj controller | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/11 13:46 |
| S22 | 3 | (455/436 and 455/228) or (data adj location adj regist\$6) and (session adj contro\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:41 |
| S23 | 64 | (455/436 and 455/228) or (data adj location adj regist\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:43 |
| S24 | 37 | ((session adj controller) with (memory or stor\$6) same (information or data)) and "100" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:45 |
| S25 | 1 | (peng adj xiaohong).in. and (packet adj data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/27 11:52 |
| S26 | 1338 | 370/310 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/28 08:49 |
| S27 | 21 | 370/310 and (CDMA2000) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/28 08:56 |
| S28 | 2 | (HDR or high adj data adj rate) near3 (dormant or inactive adj handoff) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/04 06:55 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S29 | 1 | (HDR or high adj data adj rate) near3 (dormant or inactive adj handoff) with (1xEV-DO or 1x evolution data-only or data only) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/28 09:05 |
| S55 | 48 | dormant adj handoff | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:28 |
| S56 | 63 | (session adj controller) with (memory or stor\$3) same (information or data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:28 |
| S57 | 1 | S55 and S56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:28 |
| S58 | 610 | (455/436) and mobility | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:31 |
| S59 | 9 | S55 and S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:31 |
| S60 | 1 | S56 and S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:31 |
| S61 | 1 | S59 and S60 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:31 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S62 | 4 | (dormant adj handoff) and (session adj contro\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:35 |
| S63 | 2 | "20020068570" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/09 20:35 |
| S68 | 303 | (PCF or packet adj session adj function) same (BSC or base adj station adj controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/04 06:55 |
| S69 | 34 | (PCF or packet adj session adj function) same (BSC or base adj station adj controller) near2 (access or mobile terminal or wireless adj terminal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/11 14:26 |
| S70 | 243 | (PCF or packet adj session adj function) same (BSC or base adj station adj controller) same (access or mobile terminal or wireless adj terminal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/11 13:50 |
| S71 | 185 | (PCF or packet adj session adj function) same (BSC or base adj station adj controller) with (access or mobile terminal or wireless adj terminal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/11 13:50 |
| S72 | 2 | "6859173".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/11 14:29 |
| S73 | 1 | (inter-system or intra-system) with (system adj ID or identificaton or SID) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/11 14:32 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S74 | 3 | (mobile or wireless adj phone) same (inter-system or intra-system) same (system adj ID or identificaton or SID) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/11 14:32 |
| S75 | 1 | "6580699".pn. | USPAT | OR | OFF | 2006/02/03 18:32 |
| S83 | 320 | (transfer or handoff) with dormant | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/03 19:26 |
| S84 | 788 | (transfer or handoff) same dormant | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/03 19:26 |
| S87 | 1 | (transfer or handoff) same dormant AND (1xEVDO) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/03 19:28 |
| S88 | 20 | (transfer or handoff) same dormant with rout\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/03 19:49 |
| S90 | 1 | (transfer or handoff) same dormant with rout\$3 same (mobility near4 management) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/03 19:30 |
| S91 | 1 | (transfer or handoff) same dormant with rout\$3 with (mobility) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/03 19:30 |
| S92 | 7 | ("20030054822" "5857153" "6038449" "6169900" "6285880" "6353607" "6721565").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/02/03 19:37 |
| S93 | 68 | dormant adj handoff | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/04 06:54 |
| S94 | 5 | (dormant adj handoff) and (session adj contro\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 06:54 |
| S95 | 753 | 455/436 and ((455/436) and mobility) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 06:55 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S96 | 2 | (HDR or high adj data adj rate) near3 (dormant or inactive adj handoff) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 06:55 |
| S97 | 388 | (PCF or packet adj session adj function) same (BSC or base adj station adj controller) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 07:07 |
| S98 | 5 | S93 and S94 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 06:56 |
| S99 | 1 | S95 and S96 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 06:59 |
| S10 0 | 2 | S97 and S98 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 09:47 |
| S10 2 | 39 | S93 and S97 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2006/02/04 07:07 |